

Custom and Pre-Configured
Restaurant Doors



Restaurant Doors

Mix and Match Standard Doors or Specify Your Own Custom Options That's the Beauty of Chase Restaurant Door Systems!

Chase Doors is the largest and most successful manufacturer of traffic doors in the world. With over 80 years of experience in designing and creating specialized door styles, Chase Doors can help you personalize your door to match any décor from haute cuisine to fast food. Or if you prefer you can choose from one of Chases' pre-configured combination of features to make ordering easy. Pre-configured doors can be found on pages 3 through 5.

Why Choose Chase Doors?

- Visual separation with aesthetic appeal and the capability to match any décor or design motif
- Durable long-lasting construction with lightweight designs that open and close easily
- A variety of cores provide sound attenuation and thermal separation - keep heat, clutter, clinking glasses, banging pots and pans in the back room where they belong
- Better, faster on-time delivery
- We have the best and largest field sales organization and inside customer service support staff in the industry
- Prices that match factory-direct but also provide service and support with a nationwide network of door specialist

Traffic Doors for Every Style Restaurant

- Quick Service
- Upscale
- Casual
- Contract Food Service
- Lodging/Hotel
- Family Restaurant
- Dinner House
- Grill
- Buffet



Make a Statement GraphicsDoor™

Store décor has become an essential element in creating a positive, lasting impression on your customers. Powerful, large formatted digital graphics stimulate the atmosphere and provide a fresh new look in both new construction and remodels. Highlight a theme or food specialty. Enhance the total visual experience with unique transitions or dramatic visual breaks.



SD 2000 Series



Custom Restaurant Doors

Chase SD 2000 Service Door Series

- The doors are constructed with .063" anodized aluminum. A decorative, high-pressure laminate finish is available on one or both sides.
- Back edge spine and leading edge is triangular formed for vertical panel stiffness and edge protection, reducing potential damage.
- Proven hinge system mounts to the jamb with offset cam system and hardened rollers, for years of maintenance free service.
- A variety of options including impact plates, bumper strips and lower hinge guards can be added to meet your exact requirements.
- Available in single, double or cafe styles.

Kitchen Classic – Pre-Configured Doors

Chase SD 2000 Swinging Door Series

Lightweight aluminum with a natural matte finish. Add a warm wood laminate. Create a statement with a window. Classic looks with contemporary kitchen appeal. An economical, light duty door that allows easy access between seating and kitchen areas by wait staff, buss persons and cleaning crews. Reinforced back spine and exclusive diamond fold front edge for superior rigidity. Soft Touch™ gravity hinge for easy opening. Choice of large windows for accident reducing visibility. Add an optional 12" or 18" kickplate or full coverage 48" impact plate for durability and aesthetic appeal. Available as a single panel door with left or right hand hinge. Use a double door for larger openings.



SD 2013 AL

.063 inch anodized aluminum, reinforced back spine and diamond formed leading edge, 9" x 14" clear acrylic window set in black rubber molding.



SD 2016

.063 inch anodized aluminum with choice of .032 high pressure laminate, reinforced back spine and diamond formed leading edge, 9" x 14" clear acrylic window set in black rubber molding. 12" stainless steel kickplate.



SD 2020 AL

.063 inch anodized aluminum, reinforced back spine and diamond formed leading edge, 12" round clear acrylic window set in black rubber molding. 12" stainless steel kickplate.




SD 2024 AL

.063 inch anodized aluminum, reinforced back spine and diamond formed leading edge, 6" x 20" oblong clear acrylic window set in black rubber molding. 48" black ABS impact plates.

Custom sizes, colors and windows available. Please consult factory for exact color match and details.

SC 3000 Series



Custom Restaurant Doors

Chase SC 3000 Solid Core Door Series

- Can take the abuse from wait staff and cleaning crew.
- Constructed with a 3/4" solid, cabinet grade, wood core with a surface finish of .032 aluminum, stainless steel or high pressure laminate.
- For additional durability and aesthetic appeal add an optional impact plate in your choice of 13 colors or stainless steel.
- Proven hinge system mounts to the jamb with offset cam system and hardened rollers, for years of maintenance free service.
- Standard 18 gauge stainless steel edge capping presents a clean, finished appearance and adds extra edge protection. Optional perimeter gasketing provides a positive seal for thermal and visual separation.
- A variety of options including impact plates, bumper strips, lower hinge guards and a surface mounted lock can be added to meet your exact requirements.

Kitchen Classic – Pre-Configured Doors

Chase SC 3000 Swinging Door Series

The warmth of wood. Light blending beige or solid colors. Cool aluminum and sleek stainless steel. Pre-configured, Classic American Restaurant designs with contemporary kitchen appeal. Built to take abuse from wait staff, buss persons and cleaning crews. Combines a heavy duty 3/4" cabinet wood core with high pressure surface laminates, aluminum or stainless steel surface. Steel capping channel around door perimeter for edge protection. Soft Touch™ gravity hinge for easy opening. Large 9" x 14" rectangular window for accident reducing visibility. Add an optional 18" kickplate or full coverage 48" impact plate in black ABS or stainless steel for durability and aesthetic appeal. Available as a single panel door with left or right hand hinge. Use a double door for larger openings.



SC 3017
3/4" wood core, choice of .032 high pressure laminate both sides, 48" high stainless steel impact plates both sides, 9" x 14" clear acrylic window set in black rubber molding.



SC 3018
3/4" wood core, choice of .032 high pressure laminate both sides, 18" high stainless steel impact plates both sides, 9" x 14" clear acrylic window set in black rubber molding.



SC 3016
3/4" wood core, choice of .032 high pressure laminate both sides, 18" high black ABS kickplate both sides, 9" x 14" clear acrylic window set in black rubber molding.



SC 3014 AL
3/4" wood core, .032 aluminum cladding, 9" x 14" clear acrylic window set in black rubber molding.



SC 3013 SS
3/4" wood core, stainless steel both sides, 9" x 14" clear acrylic window set in black rubber molding.

Custom sizes, colors and windows available. Please consult factory for exact color match and details.

SC 5000 Series



Custom Restaurant Doors

Chase SC 5000 Solid Core Door Series

- These doors provide durability with aesthetic appeal.
- Constructed with 3/4" wood and an exterior cladding of .032 thick anodized aluminum or decorative high pressure laminate in virtually any color imaginable.
- 12" round clear acrylic window set in black rubber molding.
- Proven hinge system mounts to the jamb with offset cam system and hardened rollers, for years of service with minimal maintenance.
- Standard 18 gauge stainless steel edge capping presents a clean finished appearance and adds extra edge protection. Optional perimeter gasketing provides a positive seal for thermal and visual separation.
- A variety of options including impact plates, bumper strips, lower hinge guards and a surface mounted lock can be added to meet your exact requirements.

Kitchen Classic – Pre-Configured Doors

Chase SC 5000 Swinging Door Series

Whether your goal is to grab customers' attention with vibrant, radiant colors or if it's to simply blend with the surrounding décor, Chase has the right door for you. Cool and sleek stainless steel. Classic diner designs with contemporary kitchen appeal. Built to take abuse from wait staff, buss persons and cleaning crews. Combines a heavy duty cabinet wood core with high pressure surface laminates. Steel capping channel around door perimeter for edge protection. Soft Touch™ gravity hinge for easy opening. Large round window for accident reducing visibility. Optional 18" kickplates or full coverage 48" impact plates for durability and aesthetic appeal. Available as a single panel door with left or right hand hinge. Use a double door for larger openings.



SC 5024

3/4" wood core, choice of .032 high pressure laminate on both sides, 48" high stainless steel impact plates both sides, 12" round clear acrylic window set in black rubber molding.



SC 5022

3/4" wood core, choice of .032 high pressure laminate on both sides, 18" high black ABS kickplates both sides, 12" round clear acrylic window set in black rubber molding.



SC 5013 SS

3/4" wood core, stainless steel both sides, 12" round clear acrylic window set in black rubber molding.

SC 5000 AL

Full aluminum - same as SC 5013 except full aluminum face.



SC 5026

3/4" wood core, choice of .032 high pressure laminate on both sides, 18" high stainless steel kickplates both sides, 12" round clear acrylic window set in black rubber molding.

Custom sizes, colors and windows available. Please consult factory for exact color match and details.


Gate, Cafe & Service Doors

Chase Self-Standing and In-Jamb Gate, Café and Saloon Doors

- Gate, Café and Saloon doors provide visual separation and aesthetic appeal. They are ideal for use in potentially dangerous areas where small children and other customers might wander and harm themselves.
- Available in a variety of finishes including high pressure laminates, aluminum, stainless steel, ABS plastic or SRP (stress relieved high-density polyethylene).
- Internal construction is available in aluminum, wood, ABS plastic or SRP polyethylene.
- Self-standing doors are an excellent option in areas where some sort of wall structure does not exist to hang a double-acting door.



Self-Standing Café Door



In-Jamb Saloon Style Door



SST 2000

Chase SST 2000 Series


Whether you are looking for a high-tech, retro or simply a classic look, the Chase SST 2000 stainless steel door adds an upscale touch of class to any decor.

- Stainless steel door panel has a beautiful aesthetic appeal with a #4 brush finish. Stainless steel will never warp or crack and is extremely durable.
- The SST2000 requires low maintenance with no special treatment or painting, only occasional polishing to keep its shine.
- Standard windows are 9" x 14" acrylic set in black rubber molding.
- Back edge spine and leading edge is triangular formed for vertical panel stiffness and added durability.

Chase XLP 5000 Series

The revolutionary new Chase XLP 5000 double acting traffic door offers a contemporary "designer style" look with a 3 dimensional surface.

- Lightweight, hollow core plastic shell with integrated, molded-in bumpers compresses and then flexes upon impact accelerating the opening speed. People and product can get through the door even faster than before.
- To aid in safety the door comes standard with a large 7" x 30" oblong ADA and OSHA compliant window. To compliment the door a black rubber molding is used.
- The full length back spine contains the XL Series Ultra Soft Touch hinging system that helps the door close fast and allows for an extra wide swing, reducing damage from "wrapping" the jamb.



XLP 5000



NW 3011

Chase NW 3011

The Chase NW 3011 has been engineered to cost effectively enhance traffic door functionality. The simple and attractive door panel contains no wood or organic material.

- The textured ABS face sheets and extra wide perimeter ABS frame encapsulate an extruded, polymer honeycomb core.
- Designed for easy two-way swing, this lightweight door opens manually with minimal resistance and gently closes by gravity.

Custom sizes, colors and windows available. Please consult factory for exact color match and details.

Additional Products by Chase

Strip Doors

Econo Max Strip Doors are an economic alternative for applications where temperature control and environment separation is required. Strip Doors are commonly used as a secondary barrier so that the primary door can be left open for extended periods to facilitate workflow.

- Econo Max Strip Doors are inexpensive and usually pay for themselves in less than one year.
- Our mounting systems make installation and strip replacement fast and easy.
- We offer the largest selection of strip material size, colors, types and grades in the industry.



Strip Doors



EconoClear

EconoClear™ Flexible Doors

Flexible doors are a cost effective way to provide a swing door on openings for light traffic applications. These traditional doors provide a maximum opening clearance for wide loads.

- Constructed with clear .120 PVC vinyl for complete visibility.
- Door panel is reinforced at attachment points for durability.
- Self-closing hinge is corrosion resistant.
- Optional low temperature or anti-static material available.
- Easy installation and virtually maintenance free.

Cold Storage Doors

ColdGuard™ Cold Storage Doors combine the newest technology and practical design features to meet the demanding requirements of the food service industry. The doors are manufactured with fiberglass reinforced pultrusions (FRP), extruded polymer casings and non-CFC foamed-in-place polyurethane insulation. This innovative design produces a strong and high impact door panel.

- Tight seal, moisture resistance and superior thermal control.
- Easy installation and easy operation.
- All doors available in single swing, bi-parting swing, single slide and center-parting.
- Doors can be manually or power operated.



ColdGuard

Custom Manufactured C-Channel, Tubular Frames, and Traditional Drywall and Masonry Flush Hollow Metal Frames



- C-Channel steel jamb wraps are designed to fit over the wall and are constructed with carbon steel or optional stainless steel. Gray powder coating is standard, optional colors include black, beige and white.
- Tubular frames are constructed carbon steel or optional stainless steel. Gray powder coating is standard, optional colors include black, beige and white.
- Traditional drywall and masonry Flush Hollow Metal Frames are constructed using galvanized steel and are shipped prime painted.

How to Measure Your Opening

First, measure the height of your opening at each side (NOT YOUR DOOR).





Next, measure the width of the opening at the top, middle and bottom.

Finally, choose a left or right side hinge from customer area side (Not Kitchen Side).



Opening dimensions in inches

Options and Accessories



World's Leading Manufacturer of Specialty Doors

Chase Industries, Inc. / Cincinnati / Redmond / 800.543.4455 / 513.860.5565 / fax 800.245.7045
www.chasedoors.com

In our continuing effort to improve our products, some specifications or descriptions may change. We reserve the right to make such changes without notice or recourse.

Brochure #RB0213 Printed in U.S.A.