EXTERIOR DOOR SYSTEMS | INTERIOR DOOR SYSTEMS | COMMERCIAL | HARDWARE



MADERO DOORS & HARDWARE Collection Series





Collection Series

COLLECTION SERIES

If you can dream it, we can build it. Madero's Collection Series Door Systems are crafted using only high quality components – designed with the consumer in mind.

Mechanically fastened units ensure your door system holds up to the climate – keeping the elements out, where they belong. Ranging from costefficient functionality to the most elegant and sophisticated entrances, the Collection Series door system provides lasting beauty and durability equipped to withstand the test of time.

Contents

| Door Systems | 3-28 |
|--|---|
| Design Your Door System | 3-4 |
| Premium Door System | 7-8 |
| Premium Plus Door System | |
| SteelComp Door System | 11-12 |
| FiberComp Door System | 13-14 |
| Craftsman Collection Door System | 15-16 |
| Entrada Oak Door System | 17-18 |
| Entrada Mahogany Door System | 19-20 |
| Entrada Teak Door System | 21-22 |
| Combo Door System | 23-24 |
| Custom Jamb Depths | 25-26 |
| Garden Door System | |
| Open & Beaded Doors | |
| | |
| Door Glass | 31-48 |
| Door Glass | |
| | 51-66 |
| Hardware | 51-66 |
| Hardware Schlage | 51-66 51-58 59-60 |
| Hardware Schlage Hinges & Doors Viewers | 51-66 51-58 59-60 61-64 |
| Hardware Schlage Hinges & Doors Viewers Rockwood | 51-66 51-58 59-60 61-64 65-66 |
| Hardware Schlage Hinges & Doors Viewers Rockwood Designer Hardware (Mortise Locks / Roller Latches) | 51-66 51-58 61-64 65-66 67-70 |
| Hardware Schlage Hinges & Doors Viewers Rockwood Designer Hardware (Mortise Locks / Roller Latches) Product Specifications | 51-66 |
| Hardware Schlage Hinges & Doors Viewers Rockwood Designer Hardware (Mortise Locks / Roller Latches) Product Specifications What to Know Before You Order | 51-66 |
| Hardware Schlage Hinges & Doors Viewers Rockwood Designer Hardware (Mortise Locks / Roller Latches) Product Specifications What to Know Before You Order How to Measure | 51-66 51-58 59-60 61-64 65-66 67-70 71-76 |






DESIGN JOUR DOOR SYSTEM

Choose a door design you'll love for years to come. The main entryway to your home provides not only a first impression to your guests but is also a focal point to your home. Exterior doors can be constructed from fiberglass or steel and customized with decorative glass and door hardware, boosting curb appeal. Choose your product and door configuration, your glass and your hardware.

- CHOOSE YOUR DOOR FAMILY & CONFIGURATION

All of Madero's door components, from slab to weatherstripping, are researched and carefully selected to provide a premium quality product that withstands the Canadian climate. Entry doors are available in several configurations providing a variety of design options for your grand entrance. Choose a single or double door, or add sidelites (venting or fixed) to allow for additional light in your entry.



2. CHOOSE YOUR GLASS

You can choose from decorative styles, textured, and Dual Low-E glass options as well as mini-blinds and vents. For a sampling of glass options available refer to pages 33-48. To review a complete listing of available glass choices, visit: **www.madero.ca/decorativeglass**.



3. CHOOSE YOUR HARDWARE


Madero offers a wide variety of hardware choices from entry level to high end luxury residential and modern design solutions. We have compiled a short list of available stocked products on pages 51-66, though numerous additional products and suppliers are available. For more information, please contact your local dealer or Madero sales representative.





Entrada Teak Door System featuring Emtek multi-point hardware





Door & Sidelite Designs





6 Panel PREM62 AO



4 Panel Flush Top PREM46 ▲●

3/4 Oval PREM34 ▲



= 8'0"

• = 7'0"

▲ = 6'8"

2 Panel 1/2 Lite PREM2P 🔺





3 Panel Equal Door with Masonite Naples Glass and Schlage Camelot Hardware in Matte Black

PREMIUM DOORS & FRAMES

High Definition Steel Slab

Premium Wood Frame

The combination of a high-gauge steel door with a premium wood frame, provides a door system perfect for various entries within your home.

| Door | 24 ga. primed high-definition steel - bright white; primed wood stiles and top rail; composite bottom rail |
|----------|--|
| Frame | Kiln-dried, finger jointed primed pine; see page 69 for product details |
| Sizes | Widths: 2/8, 2/10 and 3/0; Heights: 6/8, 7/0, 8/0 |
| Warranty | 5 year limited warranty on door slab if painted within 45 days of purchase |

Beauty. Quality. Affordability... All in One.

3 Panel*

PREMI3

Door & Sidelite Designs


2 Panel

3/4 Lite

PREM25



▲ = 6'8" • = 7'0" = 8'0"



*Custom glass configurations available. See page 42 or contact your Madero sales representative for more information.

8 Panel



Full Lite Double Door System with Simulated Divided Lites and Schlage Addison Handleset in Oil Rubbed Bronze

Door & Sidelite Designs

Flush 6 Panel PLUS62









▲ = 6'8"



• = 7'0"

= 8'0"







Narrow Lite Door with ODL 8"x64" Simplicity Glass and Rockwood MegaTek™ Pull



Smooth White Fiberglass Slab

Premium Wood Frame

The Madero Premium Plus system combines the remarkable qualities of a fiberglass slab with the strength and durability of a premium wood frame. Quality components and affordability provide lasting beauty for years to come.

| Door | Smooth, pre-pigmented white fiberglass with composite stiles and rails |
|----------|--|
| Frame | Kiln-dried, finger jointed primed pine; see page 69 for product details |
| Sizes | Widths: 2/8, 2/10 and 3/0; Heights: 6/8, 7/0, 8/0 |
| Warranty | Lifetime limited warranty on door slab, 5 year limited warranty on components |

Versatility with Fiberglass.

Door & Sidelite Designs

▲ = 6'8" ● = 7'0" ■ = 8'0

| | | , orgine | | | | | | - | -00 |) = 70 | = 00 |
|--|---------------------------------------|--------------------------------------|--|---|--|--|---|---|----------------------|---------------------|----------------------|
| | | | | Β | | | | | | | |
| Open & Beaded Full Lite - Standard View* PLUS12 | Open & Beaded 3/4 Lite PLUS24 ▲ | Open & Beaded Half Lite PLUS23 | Open & Beaded Narrow Lite** PLUSII | Open & Beaded 3 Lite*** PLUSI3 ▲■ | Open & Beaded 1/2 Lite PLUS23 | Open & Beaded 3/4 Lite PLUS24 ▲ | Open & Beaded Full Lite PLUS12 | | 3/4 Oval PLUS34 ▲ | 4 Panel PLUS46 ▲ | 3/4 Lite PLUS49 ▲ |
| | GLASS | SOLD SEPARATE | LY - REFER TO PAG | GE 32 | | | | | | | |

*Full view available for clear glass only, providing a 32% larger viewer area. **Narrow Lite doors accept all 690 (8*x64*) glass.

***3 Lite fiberglass doors accept custom glass configurations.

Contact your Madero sales representative for more information.

FIBERGLASS SLAB

WOOD FRAME



Door & Sidelite Designs







| F | T | 11 |
|---|---|----|

▲ = 6'8"



= 8'0"

= 7'0"





2 Panel 3/4 Lite with ODL Topaz glass and Schlage Camelot Handleset in Matte Black finish



High Definition Steel Slab

Premium Composite Frame

SteelComp pairs the strength and beauty of a steel slab with the permanence of a premium composite frame - a polished design built to last.

| Door | 24 ga. primed high-definition steel – bright white; primed wood stiles and top rail; composite bottom rail |
|----------|---|
| Frame | Maintenance-free, smooth white composite; see page 70 for product details |
| Sizes | Widths: 2/8, 2/10 and 3/0; Heights: 6/8, 7/0, 8/0 |
| Warranty | 5 year limited warranty if painted within 45 days of purchase; 5 year limited warranty on components – no painting required |

Beauty and Strength in the Details.

Door & Sidelite Designs



*Custom glass configurations available. See page 42 or contact your Madero sales representative for more information.

= 8'0"

STC00



Narrow Lite Door with White Laminated Glass and Rockwood MegaTek™ Hardware

Door & Sidelite Designs











▲ = 6'8"



• = 7'0"

= 8'0"



3/4 Lite Open & Beaded Door with Masonite Mondrian Glass and Schlage Century Handleset in Matte Black

AT SMOOTH WHI

Smooth White Fiberglass Slab

Premium Composite Frame

Beautiful in their natural white state, FiberComp doors can be painted to match your home's unique design and style. In addition to the remarkable qualities of the FiberComp door system, choose from a wide variety of design options including sidelites, glass options and transoms, creating a door plan truly your own.

| Door | Smooth, pre-pigmented white fiberglass with composite stiles and rails |
|----------|--|
| Frame | Maintenance-free smooth white composite: see page 70 for product details |
| Sizes | Widths: 2/8, 2/10 and 3/0; Heights: 6/8, 7/0, 8/0 |
| Warranty | Lifetime limited warranty on door slab, 5 year limited warranty on components |

Our Most Popular Door System.

Door & Sidelite Designs



*Full view available for clear glass only, providing a 32% larger viewer area. **Narrow Lite doors accept all 690 (8"x64") glass.

***3 Lite fiberglass doors accept custom glass configurations.

Contact your Madero sales representative for more information.







White with Metropolis Glass

Craftsman Fir with Spring Glass, Schlage Addison Hardware in Matte Black and 4 Block Dentil Shelf

Araftsman COLLECTION

Smooth White or Fir Textured Woodgrain Fiberglass Slab

Premium Composite Frame

Craftsman doors reflect the clean, aesthetically balanced design created over a century ago. These doors are the perfect choice for traditional homes. Their geometric lines, deeply recessed flat panels and square sticking profiles also make them increasingly popular with contemporary style homes.

| Door | Smooth white or fir woodgrain textured fiberglass with composite stiles and rails |
|----------|--|
| Frame | Maintenance-free smooth white or fir woodgrain textured composite; see page 70 for product details |
| Sizes | Widths: 3/0 only; Heights: 6/8, 8/0 |
| Warranty | Lifetime limited warranty on door slab, 5 year limited warranty on components |

Modern Style with Antique Design.

Door & Sidelite Designs



SG-Clear FCCL



SG-Metropolis FCME



All Craftsman doors include a factory glazed

glass insert. Custom glass options not available.

FG-Clear ENFGC



FG-Metropolis ENFGM



FG-Brentwood ENFGB




• = 7'0"

= 8'0'

▲ = 6'8"

FG-Spring ENFGS ▲



Door & Sidelite Designs






4 Panel Flush Top EN46 ▲











6 Panel 1/4 Lite EN66 ▲



3/4 Lite Door with ODL Avant Glass and Camelot Handleset in Bright Chrome



Oak Woodgrain Textured Fiberglass Slab

Premium Oak Woodgrain Composite Frame

The Entrada entry unit combines the eloquent beauty of a woodgrain fiberglass slab with the strength and durability of a woodgrain fiberglass frame. Available in an assortment of designs and stainable in a variety of nature's inspired colours. Entrada door units partner with any complementary decorative glass to create impressive design and a lifetime of beauty.

| Door | Oak woodgrain textured fiberglass with composite stiles and rails |
|----------|--|
| Frame | Oak woodgrain textured composite; see page 70 for product details |
| Sizes | Widths: 2/8, 2/10 and 3/0; Heights: 6/8, 7/0, 8/0 |
| Warranty | Lifetime limited warranty on door slab, |
| | 5 year limited warranty on components |

Elegance. Style. Grand Presence.

Door & Sidelite Designs

▲ = 6'8" ● = 7'0" **■** = 8'0"



*Full view available for clear glass only, providing a 32% larger viewer area.



Entrada Mahogany 2 Panel Plank Door with Smooth White Composite Frame, Clear Glass Sidelites and Transom with Rockwood SoftMet™ Pulls





Entrada Mahogany Rustic I Panel Plank Door, Flush Glazed White Laminated Glass Sidelites and Transom and Rockwood SoftMet™ Pull with Schlage L460 Lockset

Naturally Beautiful.

Door & Sidelite Designs

• = 7'0"



▲ = 6'8"



RG12

= 8'0"



2 Panel Plank

RG22



Flush Sidelite RS00 ▲



Mahogany Woodgrain Textured Fiberglass Slab

Premium Mahogany Woodgrain Composite Frame

The mahogany woodgrain series emulates the beauty of natural hardwood. Stain or paint the fiberglass doors to achieve an individualized appearance.

| Door | Mahogany woodgrain textured fiberglass with composite stiles and rails |
|----------|---|
| Frame | Mahogany textured woodgrain composite; see page 70 for product details |
| Sizes | Widths: 3/0 only; Heights: 6/8 and 8/0 |
| Warranty | Lifetime limited warranty on door slab, 5 year limited warranty on components |

Design Tip

Entrada Mahogany door systems match perfectly with full lite sidelites and/or transom with clear or white laminated glass. Add a 36" Rockwood pull with Schlage's L400 mortise lock and heavy duty roller catches to create a modern, sleek design.

Be creative. Try designing with oversized sidelites or non-traditional breaks from transom to sidelite.



Entrada Teak Door with Rockwood MegaTek™ Offset Pull



Entrada Teak Door with Espresso Stained Frame, Bronze Anodized Sill and Rockwood MegaTek™ Pull with Schlage Deadbolt



Teak Woodgrain Textured Fiberglass Slab

Premium Woodgrain Composite Frame

Long praised for its natural beauty and endurance to the elements, teak has become one of the most valued wood species on the planet. This modern fiberglass teak design is perfect for contemporary or traditional design.

| Door | Teak woodgrain textured fiberglass |
|----------------------|---|
| | with composite stiles and rails |
| Frame | Maintenance-free smooth white or |
| | fir woodgrain textured composite; |
| | see page 70 for product details |
| Sizes | Widths: 3/0 only; Heights: 6/8 |
| Glass Options | Glass not available with this product |
| Warranty | Lifetime limited warranty on door slab, |
| | 5 year limited warranty on components |

Modern and Retro.

Door Design

Teak TG99 6'8" only



Try pairing a teak woodgrain fiberglass door slab with a smooth white composite frame, painted black. The black accent visually frames in the teak slab to provide a modern, enhanced woodgrain feature door. As well, the modern stylings of a black frame can easily match the homes exterior trim and provides an alternative to a woodgrain frame option.



50 Series Steel Combo Storm Door System with Schlage Orbit Knob in Satin Nickel



60 Series Full Vent Storm Door Paired with 3/4 Lite SteelComp Door featuring Masonite Naples Glass and Schlage Plymouth Handleset in Satin Stainless Steel



Entry Unit plus Storm Door

Made for the Canadian climate

These high efficiency entry units feature a pre-mounted 1 3/8" storm door complete with venting insert. They are designed to provide a durable, energy efficient and easy to install entry solution. Madero's Combo door unit provides a higher quality solution than the typical aluminum storm door. Pair any Combo design with the Madero door system of choice. Glass insert is optional for inside door.

Sizes Widths: 2/8, 2/10, 3/0; Heights: 6/8 only

Available in Entrada, SteelComp, FiberComp, Premium Plus and Premium single-entry units, with or without sidelites.

Steel Door Combo Designs Available 6'8" only







60 Series Full Vent C/W 260

6'8" only

Fiberglass Door Combo Designs Available



60 Series Full Vent C/W SG60



50 Series 3/4 Vent C/W SG50



40 Series 1/2 Vent **Textured Woodgrain** 3/0 only C/W FG40



Only 40 Series combo doors are available in

40 Series 1/2 Vent Smooth White C/W SG40

textured woodgrain.







Craftsman Fir Door and Sidelites with Spring Glass, 4 block Dentil Shelf and Schlage Addison Hardware in Matte Black



Steel-reinforced fiberglass slabs with full height

wood lock blocks and composite stiles and rails

provides exceptional strength and durability.

Resilient fiber-resin compound material with high strength-to-weight ratio has twice the

Fiberglass Doors

Composite Jambs

screw-holding power of wood.

Big Bad Jamb CUSTOM JAMB DEPTHS > Size Doesn't Matter Madero premium composite jamb depths can accommodate all wall structures, from 4" to 16" deep. Eliminates the need for on-site jamb extensions Top view of door and frame Note: Illustration shows composite jamb application. Premium wood jamb available up to 8 ½" only.

> Energy Efficiency


A 100% CFC free polyurethane-filled door with nine times the thermal efficiency of wood; a custom-fitted jamb with a moisture tight seal for prevention of heat loss.

Fire Resistance

FiberComp systems are available with a 20 minute label upon request.

Why Architects Choose Madero Big Bad Jamb Systems

Perfect for ICF construction, high efficiency renovation, modular structures, barns, outbuildings and other commercial buildings.





Entrada Oak Woodgrain Textured Flush Glazed Garden Doors with Schlage Accent Lever in Satin Chrome

Madero

FNTRV SVSTEMS

fresh air circulation.

Designed to provide easy access to outdoor living spaces as well as ventilation and natural light. These double door systems provide an active door as well as a venting door to allow

FLUSH GLAZED (Fiberglass only)

SASH LOCKS & TIE BAR

flip of one switch.

with the turn of a handle.

With our innovative flush glazed design, your view just got a little better. The Full Lite option provides a 32% increase in glass viewing area lets you see what matters. See page 30 for details.

LOCKING SYSTEM (white or bronze finish) Two low profile sash locks, internally connected, allow the locking/unlocking of upper and lower sash locks with the

SCREEN & ROTO TRUTH HARDWARE

Complete with an integrated screen on

the venting side of the unit and cranking roto truth hardware for smooth and easy opening of the venting door. Fresh air

)EN



GARDEN DOOR UNIT SIZING

Garden Door Full Size

| | Slab | Net Frame | Rough Opening | OSM Brickmould |
|------------|---------------|-----------|------------------|-------------------|
| 2/6 x 6/8 | 29 3/4" x 79" | 63" x 81" | 64" x 82" | 65 3/8" x 82 1/2" |
| 2/8 x 6/8 | 31 3/4" x 79" | 67" x 81" | 68" x 82" | 69 3/8" x 82 1/2" |
| 2/10 x 6/8 | 33 3/4" x 79" | 71" x 81" | 72" x 82" | 73 3/8" x 82 1/2" |
| 3/0 x 6/8 | 35 3/4" x 79" | 75" x 81" | 76" x 82" | 77 3/8" x 82 1/2" |

Garden Door Renovation (Patio Door Replacement)

| | Slab | Net Frame | Rough Opening | OSM Brickmould |
|----------|---------------|---------------|------------------|-------------------|
| 5/0 Reno | 28" x 77 3/8" | 59" x 79 1/4" | 60" x 80" | 62 3/8" x 80 3/4" |
| 6/0 Reno | 34" x 77 3/8" | 71" x 79 1/4" | 72" x 80" | 73 3/8" x 80 3/4" |

Garden Door designs are available in:



Premium Wood Frame



Premium Composite Frame



Smooth White Fiberglass Slab Premium Wood Frame

FiberComp

Smooth White Fiberglass Slab

Available single or double drilled.

Premium Composite Frame

ntrada

Woodgrain Fiberglass Slab


Premium Woodgrain Composite Frame





COLLECTION SERIES DOOR SYSTEMS •







Flush Glazed Doors

An integrated glass insert frame eliminates the need for a traditional PVC frame. This feature creates a clean, uninterrupted look. The bead is premoulded and blends with the door slab surface for a smooth seamless line.

The flush glazing keeps the door slab water and weather resistant for years to come. A removable stop allows the glass to be easily installed or replaced if needed.

Available in both doors and sidelites, smooth white and textured oak woodgrain.



Standard PVC Glass Frame



Integrated Flush Glazed Glass Frame

Full Lite Full View Open & Beaded Doors with Schlage Accent Lever and Deadbolt in Satin Stainless Steel





ODL Expressions Glass

INTRODUCTION TO DOOR GLASS

Madero's offering of tempered door glass designs use handcrafted glass in a variety of textures to create dimension, depth, contrast and privacy while allowing natural light to enter the home. The following pages provide a small sampling of glass choices available for your Madero door system. For a complete view of glass availability, please visit our website at www.madero.ca/decorativeglass.

PRIVACY RATINGS

Privacy ratings on glass vary from completely transparent to private, providing a range of options for every home style. Use our chart to help identify the level of privacy offered for each of the glass families included in this section.



CAMING OPTIONS

Caming finishes let you coordinate your door glass with door hardware, light fixtures, or interior furnishings.









Antique Black



Spectraweld

PRICE LEVELS

Pricing levels within the glass section help you stay in style and on budget. Pricing indicators are: \$ Least Expensive - \$\$\$\$ Most Expensive.

CHOOSE YOUR GLASS


| | SimplicityStyleContemporaryGlassFrosted and Grooved GlassFinishn/aPrivacyRating 8 | DOORGLASSAvailable Configurations | Price Level: \$ |
|---|--|--|--------------------------|
| 8 | Monterey | | Price Level: \$\$\$ |
| | StyleCraftsmanGlassClear Bevels, Granite and Micro-Granite GlassFinishPatina or Satin Nickel CamingPrivacyRating 7 | Available Configurations68660722x6460722x481116906948x647x648x48 | Transom option available |
| - | Oak Park | | Price Level: \$\$\$ |
| | StyleCraftsmanGlassClear Bevels, Crinkle, Thin Reed and Seedy GlassFinishPatina CamingPrivacyRating 5 | Available Configurations | Transom option available |
| | HEF | 493 690 694 422 8x80 8x64 7x64 8x48 | 692 8x36 |

For a complete listing of glass availability, visit www.madero.ca/decorativeglass

CHOOSE YOUR GLASS



| Impre | ssions | ODL | DOORGLAS | S | | Pric | e Level: \$\$ | ; |
|----------------|--|--------------------|---------------------|---------------------|---------------------|--------------|--------------------|---|
| Style Glass | Contemporary Clear Bevels, Iced Granite, Streamed and Clear Renaissance Glass | Availab | le Confi | guration | ns | Transo | m option available | a |
| Finish | n/a | | | | | | | |
| Privacy | Rating 7 | 612 22x80 | 686 22x64 | 949 16x40 | 684 22x36 | 659 22x10 | | |
| | | 493 8x80 | 690 8x64 | 694 7x64 | 692 8x36 | | | |




Prairie Bevel

| Style | Craftsman |
|---------|---------------------------|
| Glass | Thin Reed, Granite, Clear |
| | Bevels, and Eaton Glass |
| Finish | Patina caming |
| Privacy | Rating 6 |
| | |



Available Configurations






Madison

| Style | Craftsman |
|---------|--------------------------|
| Glass | Micro-Cubed Glass |
| Finish | Nickel Vein Wrought Iron |
| Privacy | Rating 9 |



Available Configurations



For a complete listing of glass availability, visit www.madero.ca/decorativeglass

Price Level: \$\$

Price Level: \$\$



CHOOSE YOUR GLASS

| Тораz | | Price Level: \$ |
|---|--|--------------------------|
| StyleCraftsmanGlassThin Reed, Clear Bevels, Bronze Soft Wave, and Micro-Granite GlassFinishPatina CamingPrivacyRating 9 | Available Configurations 686 687 607 684 22x64 20x64 22x48 22x36 690 694 422 692 8x64 7x64 8x48 692 | 672 20x36 |
| Crosslines | | Price Level: \$ |
| StyleContemporaryGlassSilk ScreenFinishn/aPrivacyRating 7 | Available Configurations 686 22x64 687 20x64 687 20x64 694 7x64 | |
| Expressions | | Price Level: \$\$\$\$ |
| StyleClassicGlassClear Bevels, Granite and Gray Renaissance GlassFinishSatin Nickel or Brass CamingPrivacyRating 4 | Available Configurations Image: Configuration of the system Image: Configuration of the system 612 686 687 919 22x80 22x64 20x64 919 Image: Configuration of the system Image: Configuration of the system Image: Configuration of the system 612 686 686 687 919 22x80 22x64 20x64 919 Image: Configuration of the system Image: Configuration of the system Image: Configuration of the system 493 690 694 422 8x80 8x64 7x64 8x48 | Transom option available |


For a complete listing of glass availability, visit www.madero.ca/decorativeglass



| Vera | nda | | Price Level: \$\$\$\$ |
|-------------------------------------|---|--------------------------|--------------------------|
| Style Glass Finish Privacy | Old World Micro-Granite Glass Wrought Iron - Inspired External Grill Rating 9 | Available Configurations | |
| Delra | ıy | | Price Level: \$\$\$ |
| Style Glass | Contemporary Gray Soft Wave, Alabaster, Micro-Iced Granite, Small Hammered and Clear | Available Configurations | Transom option available |



| Style | Contemporary | Ava |
|---------|----------------------------|----------|
| Glass | Gray Soft Wave, Alabaster, | |
| | Micro-Iced Granite, Small | |
| | Hammered and Clear | |
| | Bevels Glass | |
| Finish | Patina or Nickel Caming | 6 22) |
| Privacy | Rating 6 | i. |
| | | 49 |






| Cader | nce | | OORGLASS | | |
|-------------------------------------|---|--------------|--------------------|---------------------|----|
| Style Glass Finish Privacy | Classic Clear Bevel, Hammered and Ripple Glass Patina Caming Dating 5 | Availabl | e Config | guration | ns |
| Plivacy | Rating 5 | 612 22x80 | 686 22x64 | 919 21x57 | |
| ¥ | | 493 8x80 | 690 8x64 | 694 7x64 | |

For a complete listing of glass availability, visit www.madero.ca/decorativeglass



Price Level: \$\$\$\$














For a complete listing of glass availability, visit www.madero.ca/decorativeglass

COLLECTION SERIES DOOR SYSTEMS •



| | TH | | l |
|---|-----|---|---|
| | -1- | 3 | ł |
| | | - | |
| L | 6 | | |
| | | | |
| | | | |

| Legad | cy Master | ODL | DOORGLA | SS | |
|-------------------------------------|---|-------------|-------------|--------------------|--------------|
| Style Glass Finish Privacy | Classic Clear Cluster Bevels, Clear Renaissance, and Gray Renaissance Glass Patina caming Rating 3 | Availab | e Conf | iguratic | 949 16x40 |
| <u>(</u>) | | 493 8x80 | 690 8x64 | 694 7x64 | 422 8x48 |



Element

| Style | Contemporary |
|---------|----------------------------|
| Glass | Granite Beveled, Clear |
| | Beveled, and Granite Glass |
| Finish | Antique Black Caming |
| Privacy | Rating 6 |
| | |



Masonite

Available Configurations

Transom option available

Price Level: \$\$

Price Level: \$\$\$\$

Transom option available

684 22x36

692

8x36

686 22x64 **607** 22x48 **684** 22x36 659 22x10 ٥ **422** 8x48 690 692 8x64 8x36


Madrid

| Style | Classic |
|---------|------------------------|
| Glass | Grey Beveled and Clear |
| | Beveled Glass |
| Finish | Antique Black Caming |
| Privacy | Rating 4 |



For a complete listing of glass availability, visit www.madero.ca/decorativeglass


Masonite



Price Level: \$\$\$

Transom option available







Masonite



 Available Configurations

 686
 607
 684

 22x64
 22x48
 22x36

 690
 422
 692


 8x64
 8x48
 8x36

Price Level: \$




| Style | Contemporary |
|---------|--------------------------|
| Glass | Grey Tinted and Tempered |
| | Oceana Glass |
| Finish | Charcoal Spectraweld™ |
| Privacy | Rating 8 |
| | |
| | |





Masonite





Quattro

Aria


StyleOld WorldGlassTempered Oceana GlassFinishWrought IronPrivacyRating 8




Masonite

Price Level: \$\$\$

Available Configurations



For a complete listing of glass availability, visit www.madero.ca/decorativeglass




| Rockland | | o Ma |
|-------------------|--|-----------------------|
| Style Glass | Classic Granite, Clear Beveled and Clear Swirl Glass | Available |
| Finish Privacy | Antique Black Caming Rating 6 | 686 22x64 2 |
| K | | |

asonite

Price Level: \$\$\$

Available Configurations






Zavalla

| Style | Contemporary | |
|---------|--------------------------|--|
| Glass | Clear Beveled and Narrow | |
| | Reed Glass | |
| Finish | Platinum Caming | |
| Privacy | Rating 7 | |
| | | |

Masonite



Price Level: \$\$\$\$



Mondrian


| Style | Contemporary |
|---------|--------------------------|
| Glass | Tempered Oceana and Grey |
| | Ceramic Frit Glass |
| Finish | Charcoal Spectraweld |
| Privacy | Rating 8 |



Masonite

Price Level: \$\$

Available Configurations




For a complete listing of glass availability, visit www.madero.ca/decorativeglass


| *3 Panel Equal | Masonite | Price Level: \$-\$\$ |
|--|---|-----------------------|
| With the three panel equal door slab, choose from 3 glass options and 3 configurations. Glass Element, Naples or Pear Privacy Various Available Configurations | Glass Style: | Pear |
| Mini-Blinds | | Price Level: \$ |
| Raise, lower, and tilt. Blinds adjust for complete light block, and the privacy channels on each side eliminate light gaps when the blinds are closed.Image: the state of the state | Available Configurations 612 686 687 607 22x80 22x64 20x64 697 493 690 692 8x36 | 684 22x36 |
| Vents | | Price Level: \$ |
| Glass Clear or Rainglass (privacy) Privacy Various | · · · · · · · · · · · · · · · · · · · | 799-GBG lear Glass |
| 10 adjustment locations for latches Removable screen for easy cleaning For a complete listing of glass availability, visi | t www.madero.ca/decorativeglass | |

COLLECTION SERIES DOOR SYSTEMS • 42



FiberComp Full Lite Entry System with White External 15 Lite Grille/5 Lite Sidelites and Schlage Greenwich Handleset in Satin Chrome













 $* {old {O}}$ indicates that product is available as a Low-E glass option

> 1/4" x 5/16" **Slimline Grille**

For a complete listing of glass availability, visit www.madero.ca/decorativeglass





For a complete listing of glass availability, visit www.madero.ca/decorativeglass

8x80

7x64

8x64







Painting or Staining Glass Frames

Painting or staining your window frame can provide unity with your exterior door product and reduce sight lines.

- Glass frames are available in either white or woodgrain textured material, matched according to your entry system product design.
- Woodgrain textured frames are ready to accept stain. Ideally, glass frames should be stained during the door finishing process. If finishing separately, choose a top quality exterior gel stain and apply liberally.
- Due to peeling and adhesion issues with PVC products, Madero suggests using an automotive grade paint for white frame applications. This will provide a quality product and extend the paint life of your window frame.










Clear or Frosted Glass

Clear or Low E* Glass Privacy Rating 9

White Laminated or Frosted privacy glass is available in any configuration. For more information contact your Madero sales representative.

* *indicates that product is available as a* Low-E glass option

Available Configurations



FiberComp Full Lite Double Door Systems with Schlage Accent Levers in Satin Nickel



Price Level: \$



Addison Handleset in Satin Nickel







Century Touchscreen Deadbolt and Lever in Satin Nickel





Schlage locks are built using the toughest materials and the most advanced technology. Their products are backed by a lifetime guarantee, so you can be assured of the very best durability and performance. Schlage also gives you unsurpassed flexibility to ensure your products meet the requirements of your job.

UNDERSTANDING GRADING

Schlage tests all of its locks to meet industry standards for security and durability. The Builders Hardware Manufacturing Association (BHMA) ensures quality and performance of building hardware.



FINISHES

Schlage provides a wide range of finish options, allowing design choices which complement your home decor - inside and out.



505/605 Bright

Brass



619

Satin

Nickel



620

Antique

Pewter

621 Distressed

Nickel



622

Matte

Black

625

Bright

Chrome



Satin

Chrome

626 630



716 Aged Bronze

Satin Stainless Steel

SCHLAGE BRAND PROMISE

609

Strong has a name. It's who they are, it's what they do. And for more than 90 years, Schlage has brought uncommon strength to everything they design, build and test to keep you safe, sound and secure.



Touchscreen Deadbolt

- · Durable, resistive touchscreen with matte finish to protect against finger prints and smudges
- · Motorized tapered bolt automatically locks and unlocks when code is entered
- · Warning beep alerts you when the deadbolt is not fully extended
- · Auto-lock feature automatically relocks door anytime it's left unlocked
- · Built-in Alarm Technology alerts home owners to potential security threats



G1

Camelot Touchscreen Deadbolt (619)



SCHLAGE

Keypad Locks

- · Patented commercial grade clutching motor drive; tested to one million cycles
- · Vandal resistant clutching lever and knob design; free spinning deadbolt turn
- · Convenient keyless access with Code Control: 6 digit programming code required to add and delete user codes
- · Blue LEDs illuminate keypad on demand



Camelot Keypad



Plymouth Keypad Deadbolt (613)

G2

SCHLAGE





Deadbolt (619)



F-Series Handlesets

- · Designed to resist a variety of security attacks, including kick-ins, picking, and bumping
- · Bottom grip features adjustable throughbolt with 1.5" of movement for flexible install and easy retrofit
- · Latch components adjustable for 2-3/8" or 2-3/4" door preps
- · Installation is a snap with posts that guide the screw into the proper location











G1

G1



SCHLAGE



Greenwich G1 (626)



(716)



(622)

B-Series Deadbolts

- Increased latch/bolt size offers maximum kick-in resistance
- Anti-pick shield protects against hammer and crowbar attacks
- SNAP & STAY[™] design cuts installation time in half

609

Antique

Brass





Keyed Two Sides (609)



SCHLAGE

G1





Bright

Brass



Oil Rubbed

Bronze



Antique

Pewter

Satin

Nickel



Matte

Black

Distressed

Nickel



Chrome





Chrome








F-Series Levers and Knobs

- Designed to resist a variety of security attacks, including kick-ins, credit card, picking, and bumping
- Installation is a snap with posts that guide the screw into the proper location
- Fits all standard door preps, with lever designs reversible in-field
- Schlage features 11 different finish options ranging from traditional to contemporary

SCHLAGE



Decorative Collections

SCHLAGE

Schlage Collections offer knobs, levers, handlesets and electronics that create a suited look throughout the home. Five new decorative rose designs in eleven different finishes create abundant combinations – a unique burst of style and durability at a competitive price point.

- Easy installation with posts that guide the screw into the proper location
- Fits all standard door preps, with lever designs reversible in-field
- Due to availability, allow for longer lead times with decorative collections



Round, classic silhouette with sweeping contours. Andover features concealed screws but the collection does not include a handleset or deadbolt.

Champagne Lever, Andover Knob & St. Annes Lever; Antique Pewter (620)

Andover Collection

Dexter[®] by Schlage[®]

Suiting Options

Upgrade the exterior of your house to Schlage's security and designs while utilizing Dexter by Schlage on your interior doors. The Dexter product line is Schlage's economical solution.

A Solid Warranty

Dexter by Schlage products are backed by a lifetime mechanical warranty and 5-year finish warranty, ensuring a lifetime of trouble-free performance. · Strongest locks in the opening price point category

DEXTER

SCHLAGE

- Largest knobs and levers in its class
- Fits standard door preps
- Easy to install
- Dexter designs suite with Schlage's most popular designs
- May be keyed to the Schlage C keyway
- Dual or triple option latches come standard
- UL options available







605

Bright

Brass







619

Satin

Nickel





Chrome



Satin


Chrome



Stainless Steel



Bronze









Door Hinges


Hardware is not an afterthought, but an important design decision. Once you have chosen your door style, it is the time to give thought to what you will use for door hardware. Door hinges look their best when matched to the locksets and glass caming you plan to use. Madero's standard hinge finish is C-2G Zinc Plated, though we will change the finish based on the hardware or glass that you've chosen.

5/8" SQUARE REVERSIBLE HINGE



Door Viewer Hardware

DOREX DV 180 DOOR VIEWER



DOOR SCOPE

A revolutionary patented, high-tech, high quality security product which virtually eliminates the conventional peephole. With Door Scope, you don't have to approach the door, nor strain to see visitors through a peephole anymore. Door Scope provides you with a sharp, clear image of the outside visitor up to 7 feet away from inside your door.





- 2-3/8" optics provide 168° wide angle view
- Viewable from up to 7 feet inside your home
- Easy installation with minimal tools
- · Quick, accurate and reliable identification of all visitors
- Durable and maintenance free
- DS/1000 Model: ABS Plastic body charcoal, brass or grey finish
- DS/2000 Model: Aluminum body gold or silver finish

HARDWARE



Rockwood NoirMet Architectural Pulls



Rockwood Manufacturing Company focuses on the design and manufacture of quality builders' hardware for commercial, institutional and luxury residential buildings. Now in its' third generation of skilled craftsman, Rockwood continues to develop new products and processes that improve their offering. Strict attention to detail from the selection of top-grade materials to the application of the finest finishes results in a tough, yet handsome product of the highest caliber.

At Madero, we pride ourselves in partnering with the leading suppliers in the industry. The following Rockwood pulls will be stocked and ready within our standard lead times. All pulls will be back-to-back mounting, sold in sets/pairs, and for 1 3/4" doors only. Rockwood pulls offer a 1 year warranty.

SoftMet[™] Collection

Product #: RM2540-16, RM2540-36





Designed for the Canadian Market

SoftMet pulls feature durable, weather-resistant black 1-1/4" diameter black Santoprene™ grips, sandwiched between metal fittings. Santoprene is a high performance engineered thermoplastic elastomer used for many consumer goods grip applications. The comfortable feel of this material is widely proven, even on cold exterior applications.

- Offset pull
- Length: 16" & 36" CTC; Diameter: 1-1/4"
- Select coordinating SoftMet accessories
- Traditional architectural finishes
- Back-to-back mounting
- Lengths: 16" & 36" CTC





finished grip area contrasting to the bright mirror finish at the ends. Not only visually appealing, this winning design is practical as well. The satin finish contact area hides small marks and scratches caused by rings, jewelry, and keys.

Straight pull

NeoCylinder[™] Collection Product #: RM7240-16, RM7240-36

- Length: 16" & 36" CTC; Diameter: 1 1/4"
- Post mounted "GripZone" design
- US32 Polished Stainless Steel
- Back-to-back mounting



The fresh design of the NeoCylinder pull is available in a beautiful offset design. I-1/4" tubing blends seamlessly into the terminating flat end posts. NeoCylinder pulls are available with Rockwood's popular "GripZone" contrasting finish.

- Offset pull
- Length: 16" & 36" CTC; Diameter: 1-1/4"
- US32D Satin Stainless Steel finish with "GripZone" design
- Back-to-back mounting






NoirTek[™] Collection Product #: RM3940-16 ROCKWOOD Price Level: \$ NoirTek Collection Pulls stand out on light **Available Finish:** colored entrances for a quick identity and bold statement. US32D The durable black hard coat anodized grips Satin Stainless complement many design schemes, and are an appealing finish on their own. **Stocking Size:** Offset pull Length: 16" CTC; Diameter: 1 1/4" · Black hard coat anodized grip US32D Satin Stainless Steel finish on posts Back-to-back mounting

English Bridle Leather Collection Product #: RM6010-16






- Straight pull
- Length: 16" CTC; Diameter: 1-1/4" diameter of metal grip, leather thickness is about 1/8" additional
- US32D Satin Stainless Steel finish
- 8 oz. B-MBRN Medium Brown leather
- Back-to-back mounting





Madero's Rockwood door pull stocking program includes 16", 36" and 72" pulls within specific product categories. The following chart will help you to determine your desired product style.







Teak Woodgrain Double Door System with Rockwood MegaTek™ Door Pull and Schlage L460 Mortise Lockset

DESIGNER HARDWARE DOOR PULL ATTACHMENTS

Contemporary door pull handles make a statement in modern design - whether a subtle edge or more obvious design feature is required. Door pull handles can be fashioned in a couple of different ways; providing a sleek product which isn't only on trend but provides all the security of a handleset or lever/deadbolt combination.

Unlike a handleset or door knob unit, a door pull does not include a latching mechanism. Therefore, in conjunction with a deadbolt or mortise lock hardware a roller latch is utilized. No bells, no whistles, just functional simplicity at its finest.

Note: Some regions may require a double latching system to meet local building codes. Contact your local building inspector for more information.

L460 Series - Grade 1 Mortise Lock

L460 Series locks are designed for use as primary locks where no latching is required. They also offer optimum security when used as auxiliary locks in other applications.

- · High-strength steel alloy cylinder retainer
- · Armored front in brass, bronze or stainless steel; adjustable for door bevel
- 1" (25 mm) stainless steel throw deadbolt
- Deeper retainer groove in cylinder shell increases security against wrenching and pullout; all cylinders backwards compatible
- · 6-pin Everest cylinder with patented keys standard
- Steel case and parts are corrosion resistant
- Reversible

RL38 Roller Latch

These heavy duty roller latches provide a strong enough resistance from roller to strike to securely fasten most door applications. Actuation is simple, closing of the door causes the roller to fall in the depression of the strike, thereby holding the door closed. The projection of the roller is easily adjusted using adjusting screws on the face of the unit.

- Maximum projection of the roller is 3/8" allowing for variance in the door clearance
- Nylon roller standard
- Stainless steel construction





Available Finishes:







C-10B Oil Rubbed Bronze

IVES





C-10B Oil Rubbed Bronze





HARDWARE



CHOOSE YOUR DOOR PRODUCT STEEL VS FIBERGLASS DOOR SLAB

STEEL DOORS

Madero's collection of steel entry door systems provides you with the perfect choice to suit your needs, from general use to high-end quality and appearance. Our steel door systems feature high definition embossing, paintable primed surfaces and the strength of internal wood blocking.


- The door skin is made with 24 gauge galvanized steel with primed steel facings and primed wood edge construction.
- Designed with a 10" wood lock block to accommodate residential hardware.
- Available in 9 high definition panel designs.
- Filled with an insulating core of 100% CFC-free polyurethane foam, providing an excellent R rating, while bonding the two door skins together.

n Masonite



FINISHING: A primed white surface requires painting on all six sides within 45 days of date of purchase.

WARRANTY: 5 year limited warranty on door, if painted.



PRODUCT SPECIFICATIONS

FIBERGLASS DOORS

In 2005, Madero partnered with Nan Ya Plastics, a world leader in the manufacturing of fiberglass, working with the Canadian Research and Development Corporation to develop a maintenance-free door slab which meets the climate conditions found within the Canadian market.

- Pre-pigmented white or textured woodgrain fiberglass does not require paint or stain, will not discolour and withstands everyday wear and tear. Though paint/stain is not required, these door slabs can be finished to match your home's unique design and style.
- All fiberglass door skins are made from impact-resistant fiberglass and are compression moulded to offer highly detailed panel definition.
- Door slabs are filled with an insulating core of 100% CFC-free polyurethane, providing a higher thermal efficiency than steel and offering a door slab that is temperate to the touch.
- Fiberglass doors will not dent, expand, contract, bow, warp or twist.



WATERPROOF: The stiles and rails are composed of water resistant polymer. With no exposed wood, water absorption is eliminated.

WARRANTY: 25 year limited warranty on door slab. No painting or staining required.



Textured Woodgrain* Options:



Rustic Mahogany







Oak

* samples shown stained. Actual product is sold in its' natural almond state

Exceptional Security

Our full length steel reinforced wood lock block offers exceptional security while allowing a range of hardware mounting options.

Energy Efficiency

Filled with an insulating core of 100% CFC-free polyurethane foam, providing an excellent R rating, while bonding the two door skins together.

Strength

A steel reinforced core creates a rigid internal structure that prevents bowing and warping in extreme temperatures.


Beauty

Deep embossed panels create beautiful crisp lines and deep shadows that are resistant to dents, dings, splintering, and corrosion.

Completely Waterproof

Our full length composite stiles and rails provide complete waterproofing for the door's insulation. These stiles will not splinter like wood or delaminate like steel.

CHOOSE YOUR FRAME PRODUCT WOOD VS COMPOSITE FRAME



A 2" 180 step primed pine brickmould with screw reinforced miters for a tight fit.

Primed Finger Joint Pine Jamb

finger jointed pine in widths of 4 9/16", 6 9/16", 8 9/16" and custom to 8 7/8" accommodating 2"x4", 2"x6", or 2"x8" construction.

> aluminum sill with white adjustable quad seal shoe.

The pad is applied to the door jamb above the sill, helping to seal the door corners from dirt and dust.

Mechanically fastened with screws, top and bottom.


PREMIUM WOOD FRAME

Madero's premium wood frame is constructed of kiln-dried and primed finger jointed pine, mechanically fastened with screws for superior holding power. In addition, premium frames include an extruded aluminum sill with white or brown adjustable quad seal shoe, extended reach weatherstrip, gaskets and silicone -

providing additional protection from the harsh Canadian environment. This durable product provides ease of installation and on-site damage reparation while offering an economical, environmentally sustainable choice.

Madero's premium wood frames - traditional design with the tried and true benefits of natural wood construction.

PRODUCT SPECIFICATIONS



Brickmould

A 2" 180 step composite brickmould attached with screw reinforced miters for a tight fit.

SnapLock Nailing Fin

Incorporating a hinge-style design, Madero's SnapLock nailing fin lays flat for renovation use or snaps into place for new home construction.

Composite Jamb

Maintenance-free smooth white or textured woodgrain (oak, fir or mahogany) composite, in widths of 4 9/16", 6 9/16", 8 9/16" and custom to 16" accommodating 2"x4", 2"x6", 2"x8" construction.

Dust Pad

The pad is applied to the door jamb above the sill, helping to seal the door corners from dirt and dust.

Premium extruded aluminum sill (or optional bronze anodized) with adjustable quad seal shoe.

Construction

Mechanically fastened with screws, top and bottom.

PREMIUM COMPOSITE FRAME

In 2005, Madero partnered with Nan Ya Plastics, a world leader in the manufacturing of fiberglass, working with the Canadian Research and Development Corporation to develop a resilient full length composite door frame. Maintenance-free smooth white or woodgrain composite offers all the strength and convenience of wood with enhanced properties, providing a moisture and damage resistant product suited for the Canadian climate.

Complete with ball bearing hinges, a premium extruded sill, composite brickmould and SnapLock nailing fin, these waterproof, maintenance-free composite frames will not discolour, absorb moisture, splinter, or rot.

Though machined with the same process as traditional wood door frames, solid composite provides twice the holding power of wood. While similar door frames may crack or bow under the intense cycle of the Canadian climate, Madero's composite door frames have proven to stand proud against the test of time.

Research shows that in most forced entry situations, door system failure lies within the frame, not the door slab. Our composite frame will not splinter or crack, providing a virtually indestructible product and reducing forced entry concerns.

Madero's premium composite frames - an innovative alternative to traditional wood frame construction.





Entrada Oak Door and Sidelites with Masonite Quattro Glass and Schlage Venice Handleset in Satin Nickel



Before you can order your door system, you'll need to understand common ordering specifications including proper measurement techniques, door swing and handing as well as machining for specific hardware applications.

HOW TO MEASURE

Purchasing a replacement exterior door requires several measurements of the door opening to allow your new door to fit within the existing space. The door itself may shrink or swell over time and may not fit the original measurements. Taking precise measurements enables a homeowner to choose a replacement door that will require few adjustments.

How to measure for replacement exterior doors

- 1. Gently pry off the interior door trim. Clean out and remove any insulation from the original prehung system.
- Take horizontal measurements in three places on the width of the rough opening (top, centre, and bottom) – from one edge of the frame to the opposite width of the frame. The rough opening is the gap between your door jamb and the inner edge of your wall or drywall.
- 3. Take vertical measurements in three places (left, centre, and right) from the edge of the header stud down to the bottom of the door sill or threshold.
- 4. Measure the thickness of the door jamb to determine if you require 2"x4" (4 9/16"), 2"x6" (6 9/16"), 2" x 8" (8 9/16") or custom jamb construction.

Tips & Warnings

Over the years, traditional sizes and measurements for construction have changed. Therefore, it is important to measure your door width and jamb depth to ensure you have a product available to meet your required space. If a custom jamb depth is required, please specify the extended frame option, available on page 26.

It is also important to note that older doors that need replacing may have changes in their original size from weathering. Doors that warp or do not have adequate sealant for protection can either shrink or swell in size.

2 DETERMINE YOUR PRODUCT SIZE

Many Collection Series doors are available in 2'8", 2'10" and 3'0" widths with 2"x4" (4 9/16"), 2"x6" (6 9/16"), 2"x8" (8 9/16), or custom construction, left hand or right hand application and inswing or outswing.

SINGLE DOOR UNIT SIZING

| Inswing | Slab | Net Frame | Rough Opening | OSM Brickmould | Outswing | Slab | Net Frame | Rough Opening | OSM Brickmould |
|------------|---------------|----------------|--------------------|-------------------|------------|---------------|----------------|--------------------|---------------------|
| 2/8 x 6/8 | 31 3/4" x 79" | 33 7/16" x 82" | 34 7/16" x 82 1/2" | 36" x 83 1/4" | 2/8 x 6/8 | 31 3/4" x 79" | 33 7/16" x 81" | 34 7/16" x 81 1/2" | 36 15/16" x 82 1/4" |
| 2/10 x 6/8 | 33 3/4" x 79" | 35 7/16" x 82" | 36 7/16" x 82 1/2" | 38" x 83 1/4" | 2/10 x 6/8 | 33 3/4" x 79" | 35 7/16" x 81" | 36 7/16" x 81 1/2" | 38 15/16" x 82 1/4" |
| 3/0 x 6/8 | 35 3/4" x 79" | 37 7/16" x 82" | 38 7/16" x 82 1/2" | 40" x 83 1/4" | 3/0 x 6/8 | 35 3/4" x 79" | 37 7/16" x 81" | 38 7/16" x 81 1/2" | 40 15/16" x 82 1/4" |

| Combo | Interior Slab | Exterior Slab | Net Frame | Rough Opening | OSM Brickmould |
|------------|------------------|------------------|----------------|--------------------|-------------------|
| 2/8 x 6/8 | 31 3/4" x 79" | 31 3/4" x 80" | 33 7/16" x 82" | 34 7/16" x 82 1/2" | 36" x 83 1/4" |
| 2/10 x 6/8 | 33 3/4" x 79" | 33 3/4" x 80" | 35 7/16" x 82" | 36 7/16" x 82 1/2" | 38" x 83 1/4" |
| 3/0 x 6/8 | 35 3/4" x 79" | 35 3/4" x 80" | 37 7/16" x 82" | 38 7/16" x 82 1/2" | 40" x 83 1/4" |

DOOR(S) WITH SIDELITE

Door & 1 Fixed Sidelite

(Vent Sidelite add 1/4" to width)

| | Slab | Net Frame | Rough Opening | OSM Brickmould |
|---------------|----------------------|---------------|-------------------|-------------------|
| 2/6 & 1/0 SL | 29 3/4" / 11 3/4" SL | 44 7/8" x 82" | 45 7/8" x 82 1/2" | 47 1/4" x 83 1/4" |
| 2/6 & 1/2 SL | 29 3/4" / 13 3/4" SL | 46 7/8" x 82" | 47 7/8" x 82 1/2" | 49 1/4" x 83 1/4" |
| 2/8 & 1/0 SL | 31 3/4" / 11 3/4" SL | 46 7/8" x 82" | 47 7/8" x 82 1/2" | 49 1/4" x 83 1/4" |
| 2/8 & 1/2 SL | 31 3/4" / 13 3/4" SL | 48 7/8" x 82" | 49 7/8" x 82 1/2" | 51 1/4" x 83 1/4" |
| 2/10 & 1/0 SL | 33 3/4" / 11 3/4" SL | 48 7/8" x 82" | 49 7/8" x 82 1/2" | 51 1/4" x 83 1/4" |
| 2/10 & 1/2 SL | 33 3/4" / 13 3/4" SL | 50 7/8" x 82" | 51 7/8" x 82 1/2" | 53 1/4" x 83 1/4" |
| 3/0 & 1/0 SL | 35 3/4" / 11 3/4" SL | 50 7/8" x 82" | 51 7/8" x 82 1/2" | 53 1/4" x 83 1/4" |
| 3/0 & 1/2 SL | 35 3/4" / 13 3/4" SL | 52 7/8" x 82" | 53 7/8" x 82 1/2" | 55 1/4" x 83 1/4" |

Door & 2 Fixed Sidelite

(Vent Sidelite add 1/4" to width)

| | Slab | Net Frame | Rough Opening | OSM Brickmould |
|---------------|----------------------|--------------|------------------|-------------------|
| 2/6 & 1/0 SL | 29 3/4" / 11 3/4" SL | 58" x 82" | 59" x 82 1/2" | 60 1/2" x 83 1/4" |
| 2/6 & 1/2 SL | 29 3/4" / 13 3/4" SL | 62" x 82" | 63" x 82 1/2" | 64 1/2" x 83 1/4" |
| 2/8 & 1/0 SL | 31 3/4" / 11 3/4" SL | 60" x 82" | 61" x 82 1/2" | 62 1/2" x 83 1/4" |
| 2/8 & 1/2 SL | 31 3/4" / 13 3/4" SL | 64" x 82" | 65" x 82 1/2" | 66 1/2" x 83 1/4" |
| 2/10 & 1/0 SL | 33 3/4" / 11 3/4" SL | 62" x 82" | 63" x 82 1/2" | 64 1/2" x 83 1/4" |
| 2/10 & 1/2 SL | 33 3/4" / 13 3/4" SL | 66" x 82" | 67" x 82 1/2" | 68 1/2" x 83 1/4" |
| 3/0 & 1/0 SL | 35 3/4" / 11 3/4" SL | 64" x 82" | 65" x 82 1/2" | 66 1/2" x 83 1/4" |
| 3/0 & 1/2 SL | 35 3/4" / 13 3/4" SL | 68" x 82" | 69" x 82 1/2" | 70 1/2" x 83 1/4" |

Double Door with Astragal


| | Slab | Net Frame | Rough Opening | OSM Brickmould |
|------------|---------------|---------------|-------------------|-------------------|
| 2/6 x 6/8 | 29 3/4" x 79" | 62 1/4" x 82" | 63 1/4" x 82 1/2" | 65" x 83 1/4" |
| 2/8 x 6/8 | 31 3/4" x 79" | 66 1/4" x 82" | 67 1/4" x 82 1/2" | 69" x 83 1/4" |
| 2/10 x 6/8 | 33 3/4" x 79" | 70 1/4" x 82" | 71 1/4" x 82 1/2" | 73" x 83 1/4" |
| 3/0 x 6/8 | 35 3/4" x 79" | 74 1/4" x 82" | 75 1/4" x 82 1/2" | 77" x 83 1/4" |



CHOOSE YOUR DOOR SWING / DOOR HANDING

Doors are available as inswing or outswing models. This refers to which way your exterior door will swing; outward (toward the outside of the house) or inward (toward the inside). Most homes are built to accommodate inswing doors, however, your entry door can be designed to swing outward if preferred.

Door handing refers to the direction that the door swings. When viewed from the outside, if the hinges are on your left side and the door is pushing away from you, it is a left hand (LH) inswing. If the hinges are on your right side and the door is pushing away from you, it is a right hand (RH) inswing.



HARDWARE SPECIFICATIONS

Different types of door hardware require different machining methods; from single drill to double drill and custom. The following is a quick list to help provide some guidance when ordering.

- Single Drill: Single lever or knob style hardware
- Double Drill: Handleset, lever or knob with deadbolt hardware
- Custom: Mortise lock, roller catch or multipoint hardware

If you plan to use hardware which is not offered by Madero, please specify the hardware style and provide a template for machining purposes.

SIDELITES: ACTIVE/VENTING VERSUS FIXED



6. DIRECT GLAZE: SIDELITES & TRANSOM

Design your entrance with grand appeal and open your rooms to a flood of light from the sidelites and transom. Direct glaze sidelites and transoms provide full unobscured glass coverage, allowing sunlight in and brightening your entryway. Madero offers two modern choices, clear or white laminated. White laminated glass combines a satin finish with a neutral, translucent appearance. It filters light, smoothes visual contours, and provides obscurity and privacy.

At Madero, the sky is the limit.

Don't see what you're looking for in the Collection Series? Watch for the luxury line of products launching early 2015.

Teak Double Door with Schlage Century Handleset and Deadbolt in Satin Nickel





The Bigger Picture

At Madero, we pride ourselves in understanding your needs, providing solutions and offering premium products crafted to the highest industry standards. Not only do we offer exterior doors, glass and hardware options, we also have a full line of interior and commercial products available. For more information, contact your Madero sales representative or visit our website:

www.madero.ca



EXTERIOR DOOR SYSTEMS | INTERIOR DOOR SYSTEMS | COMMERCIAL | HARDWARE



Make Your Grand Entrance.

Not finding what you need in Madero's Collection Series door systems? Madero offers a wide array of door designs and configurations with highly customizable glass and hardware options suitable for both interior and exterior applications.



Calgary

T 1.866.664.7664 • F 1.403.204.7665

Saskatoon

T 1.800.667.6977 • F 1.306.934.7644

Winnipeg T 1.855.706.0200 • F 1.204.594.0201

www.madero.ca