



Latch & Strike Options

- F/FA Series Knobs
- F/FA Series Levers
- F/FA Series Grip Handlesets
- B Series Deadbolts



Uncompromising quality, Unsurpassed flexibility.



Schlage locks are built using the toughest materials and the most advanced technology. Our products are backed by a lifetime guarantee, so you can be assured of the very best durability and performance. Schlage also gives you unsurpassed flexibility to ensure your products meet the unique requirements of your job.


While every Schlage product ships with a latch and strike to work in most applications, we help make installation at the jobsite even easier with the ability to choose the exact combination to match your specific door prep.

If our standard latch and strike combinations are not exactly what you need, just choose from the latch and strike options listed on the following pages.

F Series Knobs and Levers



Plymouth



Orbit



Avanti



Flair



FE575 Camelot x Georgian



Georgian



Accent



Jazz



Latitude



Bell



Siena



Elan



Manhattan



FE575 Plymouth x Flair

FA Series Knobs and Levers



Andover



Danbury



Callington



Champagne



St. Annes



Merano

F Series Grip Handlesets



Addison



Bowman



Camelot



Century



Parthenon



Plymouth



FE285 Camelot



Florence



Monaco



Venice



Monticello



Sutton



Wakefield

B Series Deadbolts



B60 Series



BE365 Series



Link Starter Kit

Lockset Functions

F51 Keyed Entry	FA51 Keyed Entry
F51CF UL Rated Keyed Entry	FA51CF UL Rated Keyed Entry
F54 Keyed Entry	FA54 Keyed Entry
F54CF UL Rated Keyed Entry	FA54CF UL Rated Keyed Entry
F80 Storeroom Lock	FA80 Storeroom Lock
F80CF UL Rated Storeroom Lock	FA80CF UL Rated Storeroom Lock
	FE575 Keypad Entry w/AutoLock
	FE595 Keypad Entry w/Flex-Lock

F SERIES DEAD LATCHES



605,
Bright Brass



609,
Antique Brass



613,
Oil Rub Bronze



619,
Satin Nickel



620,
Antique Pewter



621,
Distressed Nickel



622,
Matte Black



625,
Bright Chrome



626,
Satin Chrome



716,
Aged Bronze


Standard Latch & Strike Configurations

Box Pack

Function	Std. Latch	Std. Strike
F51/F54/F80	16-211	10-063
FA51/FA54/FA80	16-211	10-063
FE575 KPL	16-211	10-063
FE595 KPL	16-211	10-063


Visual Pack

Function	Std. Latch	Std. Strike
F51V	16-086	10-027
FE575V	16-086	10-027
FE595V	16-086	10-027




Square Corner

Part Number:	16-207
Faceplate Size:	1" x 2-1/4"
Latch Diameter:	7/8"
Backset:	2-3/8" or 2-3/4"
Application:	F51, F54, F80, FA51, FA54, FA80
Finishes:	605, 609, 613, 619, 620, 621, 622, 625, 626, 716
Includes A501-878 adaptor for 1-1/8" faceplate	




1/4" Radius Round Corner

Part Number:	16-209
Faceplate Size:	1" x 2-1/4"
Latch Diameter:	7/8"
Backset:	2-3/8" or 2-3/4"
Application:	F51, F54, F80, FA51, FA54, FA80
Finishes:	605, 609, 613, 619, 620, 621, 622, 625, 626, 716




Circular Drive-In

Part Number:	16-212
Faceplate Size:	Not Applicable
Latch Diameter:	7/8"
Backset:	2-3/8" or 2-3/4"
Application:	F51, F54, F80, FA51, FA54, FA80
Finish:	626




Dual Option

Part Number:	16-234
Faceplate Size:	1" x 2-1/4"
Latch Diameter:	7/8"
Backset:	2-3/8" or 2-3/4"
Application:	F51, F54, F80, FA51, FA54, FA80
Finishes:	605, 609, 613, 619, 620, 621, 622, 625, 626, 716
Attached 1/4" radius round corner, includes square corner faceplate	




Dual Option

Part Number:	16-086
Faceplate Size:	1" x 2-1/4"
Latch Diameter:	7/8"
Backset:	2-3/8" or 2-3/4"
Application:	F51, F54, F80, FA51, FA54, FA80
Finishes:	605, 609, 613, 619, 620, 621, 622, 625, 626, 716
Attached 1/4" radius round corner, includes drive-in faceplate	




Triple Option

Part Number:	16-211
Faceplate Size:	1" x 2-1/4"
Latch Diameter:	7/8"
Backset:	2-3/8" or 2-3/4"
Application:	F51, F54, F80, FA51, FA54, FA80
Finishes:	605, 609, 613, 619, 620, 621, 622, 625, 626, 716
Attached 1/4" radius round corner, includes square corner and drive-in faceplates	




5" Square Corner

Part Number:	16-126
Faceplate Size:	1" x 2-1/4"
Latch Diameter:	7/8"
Backset:	5"
Application:	F51, F54, F80, FA51, FA54, FA80
Finishes:	605, 609, 613, 619, 620, 621, 622, 625, 626, 716
Includes A501-878 adaptor for 1-1/8" faceplate	




UL Rated Square Corner

Part Number:	16-203
Faceplate Size:	1" x 2-1/4"
Latch Diameter:	7/8"
Backset:	2-3/8" or 2-3/4"
Application:	F51CF, F54CF, F80CF, FA51CF, FA54CF, FA80CF
Finishes:	605, 609, 613, 619, 620, 621, 622, 625, 626, 716
Includes A501-878 adaptor for 1-1/8" faceplate and Fire Cup	



UL Rated 1/4" Radius Round Corner

Part Number:	16-204
Faceplate Size:	1" x 2-1/4"
Latch Diameter:	7/8"
Backset:	2-3/8" or 2-3/4"
Application:	F51CF, F54CF, F80CF, FA51CF, FA54CF, FA80CF
Finishes:	605, 609, 613, 619, 620, 621, 622, 625, 626, 716
Includes A501-878 adaptor for 1-1/8" faceplate and Fire Cup	



UL Rated 5" Square Corner

Part Number:	16-132
Faceplate Size:	1" x 2-1/4"
Latch Diameter:	7/8"
Backset:	5"
Application:	F51CF, F54CF, F80CF, FA51CF, FA54CF, FA80CF
Finishes:	605, 609, 613, 619, 620, 621, 622, 625, 626, 716
Includes A501-878 adaptor for 1-1/8" faceplate and Fire Cup	

F SERIES GRIP LATCHES

Lockset Functions

- F58** Exterior Entrance
- F59** Entrance Interior
- F60** Keyed 1-Side
- F62** Keyed 2-Sides

Standard Latch & Strike Configurations

Box Pack

Function	Std. Latch	Std. Strike
F59	12-326	10-269
F60	12-326	10-269
F62	12-326	10-269

Visual Pack

Function	Std. Latch	Std. Strike
F60V	12-322	10-115



605,
Bright Brass



609,
Antique Brass



613,
Oil Rub Bronze



619,
Satin Nickel



620,
Antique Pewter



621,
Distressed Nickel



622,
Matte Black




625,
Bright Chrome



626,
Satin Chrome




716,
Aged Bronze



Dual Option
(16-080 & 12-321)

Part Number: **12-322**
 Faceplate Size: 1" x 2-1/4"
 Spring Latch Diameter: 7/8"
 Deadbolt Latch Diameter: 1"
 Backset: 2-3/8" or 2-3/4"
 Finishes: 605, 609, 613, 619, 620,
 621, 622, 625, 626, 716


Attached 1/4" radius round corner,
includes drive-in faceplate



Triple Option
(16-210 & 12-287)


Part Number: **12-326**
 Faceplate Size: 1" x 2-1/4"
 Spring Latch Diameter: 7/8"
 Deadbolt Latch Diameter: 1"
 Backset: 2-3/8" or 2-3/4"
 Finishes: 605, 609, 613, 619, 620,
 621, 622, 625, 626, 716

Attached 1/4" radius round corner,
includes square corner and drive-in faceplates




Square Corner
(16-200 & 12-288)

Part Number: **12-323**
 Faceplate Size: 1" x 2-1/4"
 Spring Latch Diameter: 7/8"
 Deadbolt Latch Diameter: 1"
 Backset: 2-3/8" or 2-3/4"
 Finishes: 605, 609, 613, 619, 620,
 621, 622, 625, 626, 716




1/4" Radius Round Corner
(16-201 & 12-289)

Part Number: **12-324**
 Faceplate Size: 1" x 2-1/4"
 Spring Latch Diameter: 7/8"
 Deadbolt Latch Diameter: 1"
 Backset: 2-3/8" or 2-3/4"
 Finishes: 605, 609, 613, 619, 620,
 621, 622, 625, 626, 716




Circular Drive-In
(16-202 & 12-290)

Part Number: **12-325**
 Faceplate Size: Not Applicable
 Spring Latch Diameter: 7/8"
 Deadbolt Latch Diameter: 1"
 Backset: 2-3/8" or 2-3/4"
 Finish: 626



UL Rated 1-1/8" Square Corner
(16-203 & 12-296)

Part Number: **12-332**
 Faceplate Size: 1-1/8" x 2-1/4"
 Spring Latch Diameter: 7/8"
 Deadbolt Latch Diameter: 1"
 Backset: 2-3/8" or 2-3/4"
 Finishes: 605, 609, 613, 619, 620,
 621, 622, 625, 626, 716



UL Rated 1/4" Radius Round Corner
(16-204 & 12-397)

Part Number: **12-333**
 Faceplate Size: 1" x 2-1/4"
 Spring Latch Diameter: 7/8"
 Deadbolt Latch Diameter: 1"
 Backset: 2-3/8" or 2-3/4"
 Finishes: 605, 609, 613, 619, 620,
 621, 622, 625, 626, 716

Lockset Functions

FA358 Exterior Entrance

FA359 Entrance Interior

FA360 Keyed 1-Side

FA362 Keyed 2-Sides



Standard Latch & Strike Configurations

Box Pack

Function	Std. Latch	Std. Strike
FA359	16-235	10-248
FA360	16-235	10-248
FA362	16-235	10-248

Visual Pack


Function	Std. Latch	Std. Strike
FA360 V	16-235	10-254



Dual Option
(16-233 & 12-313)

Part Number: **16-242**
Faceplate Size: 1" x 2-1/4"
Spring Latch Diameter: 7/8"
Deadbolt Latch Diameter: 7/8"
Backset: 2-3/8" or 2-3/4"
Finishes: 605, 609, 613, 619, 620, 621, 622, 625, 626, 716


Attached 1/4" radius round corner, includes drive-in faceplate



Triple Option
(16-210 & 12-300)


Part Number: **16-235**
Faceplate Size: 1" x 2-1/4"
Spring Latch Diameter: 7/8"
Deadbolt Latch Diameter: 7/8"
Backset: 2-3/8" or 2-3/4"
Finishes: 605, 609, 613, 619, 620, 621, 622, 625, 626, 716

Attached 1/4" radius round corner, includes square corner and drive-in faceplates




Square Corner
(16-200 & 12-304)

Part Number: **16-236**
Faceplate Size: 1" x 2-1/4"
Spring Latch Diameter: 7/8"
Deadbolt Latch Diameter: 7/8"
Backset: 2-3/8" or 2-3/4"
Finishes: 605, 609, 613, 619, 620, 621, 622, 625, 626, 716



1/4" Radius Round Corner
(16-201 & 12-302)

Part Number: **16-237**
Faceplate Size: 1" x 2-1/4"
Spring Latch Diameter: 7/8"
Deadbolt Latch Diameter: 7/8"
Backset: 2-3/8" or 2-3/4"
Finishes: 605, 609, 613, 619, 620, 621, 622, 625, 626, 716



Circular Drive-In
(16-202 & 12-303)

Part Number: **16-238**
Faceplate Size: Not Applicable
Spring Latch Diameter: 7/8"
Deadbolt Latch Diameter: 7/8"
Backset: 2-3/8" or 2-3/4"
Finish: 626

FA Series Handleset Default Strike

Part Number: **10-248**

Square Corner and Round Corner Latch Strike,
Square Corner Deadbolt Strike

Includes latch strike 10-063 and deadbolt strike 10-094

F SERIES SPRING LATCHES

Lockset Functions

F10	Passage	FA10	Passage
F10CF	UL Rated Passage	FA10CF	UL Rated Passage
F40	Bath/Bed	FA40	Bath/Bed
F40CF	UL Rated Bath/Bed	FA40CF	UL Rated Bath/Bed



Standard Latch & Strike Configurations

Box Pack


Function	Std. Latch	Std. Strike
F10	16-080	10-027
FA10	16-080	10-027
F40	16-080	10-027
FA40	16-080	10-027

Visual Pack

Function	Std. Latch	Std. Strike
F10V	16-080	10-027
F40V	16-080	10-027




Square Corner



1/4" Radius Round Corner



Circular Drive-In



Dual Option


Part Number: **16-200**
 Faceplate Size: 1" x 2-1/4"
 Latch Diameter: 7/8"
 Backset: 2-3/8" or 2-3/4"
 Application: F10, FA10, F40, FA40
 Finishes: 605, 609, 613, 619, 620, 621, 622, 625, 626, 716

Part Number: **16-201**
 Faceplate Size: 1" x 2-1/4"
 Latch Diameter: 7/8"
 Backset: 2-3/8" or 2-3/4"
 Application: F10, FA10, F40, FA40
 Finishes: 605, 609, 613, 619, 620, 621, 622, 625, 626, 716


Part Number: **16-202**
 Faceplate Size: Not Applicable
 Latch Diameter: 7/8"
 Backset: 2-3/8" or 2-3/4"
 Application: F10, FA10, F40, FA40
 Finish: 626

Part Number: **16-233**
 Faceplate Size: 1" x 2-1/4"
 Latch Diameter: 7/8"
 Backset: 2-3/8" or 2-3/4"
 Application: F10, FA10, F40, FA40
 Finishes: 605, 609, 613, 619, 620, 621, 622, 625, 626, 716


Attached 1/4" radius round corner, includes square corner faceplate



Dual Option



UL Rated Square Corner



UL Rated 1/4" Radius Round Corner

Part Number: **16-080**
 Faceplate Size: 1" x 2-1/4"
 Latch Diameter: 7/8"
 Backset: 2-3/8" or 2-3/4"
 Application: F10, FA10, F40, FA40
 Finishes: 605, 609, 613, 619, 620, 621, 622, 625, 626, 716

Attached 1/4" radius round corner, includes drive-in faceplate

Part Number: **16-244**
 Faceplate Size: 1" x 2-1/4"
 Latch Diameter: 7/8"
 Backset: 2-3/8" or 2-3/4"
 Application: F10CF, FA10CF, F40CF, FA40CF
 Finishes: 605, 609, 613, 619, 620, 621, 622, 625, 626, 716

Includes A501-878 adaptor for 1-1/8" faceplate and Fire Cup

Part Number: **16-245**
 Faceplate Size: 1" x 2-1/4"
 Latch Diameter: 7/8"
 Backset: 2-3/8" or 2-3/4"
 Application: F10CF, FA10CF, F40CF, FA40CF
 Finishes: 605, 609, 613, 619, 620, 621, 622, 625, 626, 716

Includes A501-878 adaptor for 1-1/8" faceplate and Fire Cup

Lockset Functions

- B60** Sgl Cyl Deadbolt
B62 Dbl Cyl Deadbolt
B80 Door Bolt
B81 1-Sided Sgl Cyl Deadbolt

- BE365** Keypad Sgl Cyl Deadbolt
BE367 I-Button Sgl Cyl Deadbolt
BE369 Link Sgl Cyl Deadbolt

Standard Latch & Strike Configurations

Box Pack


Function	Std. Latch	Std. Strike
B60	12-287	10-116
B62	12-287	10-116
BE365 KPD	12-287	10-116
BE367 SPED	12-287	10-116
BE369-LINK	12-287	10-116

Visual Pack

Function	Std. Latch	Std. Strike
B60V	12-321	10-116
B62V	12-321	10-116
BE365V	12-321	10-116



605,
Bright Brass



609,
Antique Brass



613,
Oil Rub Bronze



619,
Satin Nickel



620,
Antique Pewter



621,
Distressed Nickel



622,
Matte Black




625,
Bright Chrome




626,
Satin Chrome



716,
Aged Bronze



Triple Option



Dual Option



Square Corner



Square Corner

Part Number: **12-287**
 Faceplate Size: 1" x 2-1/4"
 Latch Diameter: 1"
 Backset: 2-3/8" or 2-3/4"
 Finishes: 605, 609, 613, 619, 620,
 621, 622, 625, 626, 716

Attached 1/4" radius round corner,
 also includes square corner and drive-in
 faceplates

Part Number: **12-321**
 Faceplate Size: 1" x 2-1/4"
 Latch Diameter: 1"
 Backset: 2-3/8" or 2-3/4"
 Finishes: 605, 609, 613, 619, 620,
 621, 622, 625, 626, 716


Attached 1/4" radius round corner,
 also includes drive-in faceplate

Part Number: **12-288**
 Faceplate Size: 1" x 2-1/4"
 Latch Diameter: 1"
 Backset: 2-3/8" or 2-3/4"
 Finishes: 605, 609, 613, 619, 620,
 621, 622, 625, 626, 716


Part Number: **12-291**
 Faceplate Size: 1-1/8" x 2-1/4"
 Latch Diameter: 1"
 Backset: 2-3/8" or 2-3/4"
 Finishes: 605, 609, 613, 619, 620,
 621, 622, 625, 626, 716




1/4" Radius Round Corner



Circular Drive-In



5" Square Corner



UL Square Corner


Part Number: **12-289**
 Faceplate Size: 1" x 2-1/4"
 Latch Diameter: 1"
 Backset: 2-3/8" or 2-3/4"
 Finishes: 605, 609, 613, 619, 620,
 621, 622, 625, 626, 716

Part Number: **12-290**
 Faceplate Size: Not Applicable
 Latch Diameter: 1"
 Backset: 2-3/8" or 2-3/4"
 Finish: 626


Part Number: **12-633**
 Faceplate Size: 1-1/8" x 2-1/4"
 Latch Diameter: 1"
 Backset: 5"
 Finishes: 605, 609, 613, 619, 620,
 621, 622, 625, 626, 716

Part Number: **12-294**
 Faceplate Size: 1" x 2-1/4"
 Latch Diameter: 1"
 Backset: 2-3/8" or 2-3/4"
 Finishes: 605, 609, 613, 619, 620,
 621, 622, 625, 626, 716


Includes Fire Cup



UL Square Corner



1/4" Radius Round Corner



UL Circular Drive-In

Part Number: **12-296**
 Faceplate Size: 1-1/8" x 2-1/4"
 Latch Diameter: 1"
 Backset: 2-3/8" or 2-3/4"
 Finishes: 605, 609, 613, 619, 620,
 621, 622, 625, 626, 716

Includes Fire Cup

Part Number: **12-397**
 Faceplate Size: 1" x 2-1/4"
 Latch Diameter: 1"
 Backset: 2-3/8" or 2-3/4"
 Finishes: 605, 609, 613, 619, 620,
 621, 622, 625, 626, 716

Includes Fire Cup

Part Number: **12-316**
 Faceplate Size: Not Applicable
 Latch Diameter: 1"
 Backset: 2-3/8" or 2-3/4"
 Finish: 626


Includes Fire Cup

F Series Strikes - For F51, F54, F80, FA51, FA54, FA80, F10, FA10, F40 and FA40 Products




Square Corner T Strike

Part: **10-001**
Size: 1-1/8" x 2-3/4"




Square Corner Full Lip Strike

Part: **10-026**
Size: 2-1/4" x 1-5/8"




1/4" Radius Corner Full Lip Strike

Part: **10-027**
Size: 2-1/4" x 1-5/8"



Circular Adjustable

Part: **10-058**
Size: 1-3/4" Diameter



Dual Strikes (10-026 & 10-027)

Part: **10-063**
Size: 2-1/4" x 1-5/8"



ANSI Square Corner T Strike

Part: **10-025**
Size: 1-1/4" x 4-7/8"

B Series Strikes - For B60, B62, B80, B81, BE365, BE367 and BE369 Deadbolts



Drive-In Circular Strike

Part: **10-064**
Size: 1-3/16" Diameter



1/4" Radius Corner Full Lip Strike

Part: **10-092**
Size: 1-5/8" x 2-1/4"



ANSI T Strike

Part: **10-087**
Size: 1-1/4" x 4-7/8"



Square Corner Strike

Part: **10-094**
Size: 1-1/8" x 2-3/4"



1/4" Radius Round Corner Strike

Part: **10-103**
Size: 1" x 2-1/4"



1/4" Radius Round Corner 4-Hole Strike

Part: **10-104**
Size: 1-1/4" x 3-5/8"



1/4" Radius Round Corner Full Lip Strike

Part: **10-113**
Size: 1-1/8" x 2-3/4"




1/4" Radius Round Corner Strike

Part: **10-116**
Size: 1-1/8" x 2-3/4"



1/4" Radius Round Corner Strike Frame Reinforcer

Part: **B502-914**
Size: 1-1/8" x 2-3/4"




Plastic Black Dust Box for Standard Strike

Part: **B520-283**
Size: 1-1/8" x 2-3/4"



Metal Dust Box for Standard Strike

Part: **B520-622**
Size: 1-1/8" x 2-3/4"



Square Corner Strike and Plastic Dust Box (10-094 & B520-283)

Part: **10-081**
Size: 1-1/8" x 2-3/4"

Handleset Strikes

Part 10-269, includes:

(1) 1/4" Radius Round Corner Deadbolt Strike (10-116), (1) Square Corner Full Lip Strike (10-026), (1) 1/4" Radius Round Corner Full Lip Strike (10-027)

Part 10-115, includes:

(1) 1/4" Radius Round Corner Deadbolt Strike (10-116), (1) 1/4" Radius Round Corner Full Lip Strike (10-027)

Part 10-265, includes:

(1) Square Corner Deadbolt Strike (10-094), (1) Square Corner Full Lip Strike (10-026), (1) 1/4" Radius Round Corner Full Lip Strike (10-027)

Part 10-254, includes:

(1) Square Corner Deadbolt Strike (10-094), (1) Square Corner Full Lip Strike (10-026)

Part 10-258, includes:

(1) Drive-In Circular Deadbolt Strike (10-064), (1) Circular Drive-In Strike (10-058)

Part 10-256, includes:

(1) Drive-In Circular Deadbolt Strike (10-064), (1) 1/4" Radius Round Corner Full Lip Strike (10-027)

Part 10-253, includes:

(1) Drive-In Circular Deadbolt Strike (10-064), (1) Square Corner Full Lip Strike (10-026)

Part 10-245, includes:

(1) 1/4" Radius Round Corner Full Lip Tall Deadbolt Strike (10-113), (1) Square Corner Full Lip Strike (10-026), (1) 1/4" Radius Round Corner Full Lip Strike (10-027)

Part 10-259, includes:

(1) Square Corner Full Lip Deadbolt Strike (10-095), (1) Square Corner Full Lip Strike (10-026)

Part 10-257, includes:

(1) 1/4" Radius Round Corner Full Lip Deadbolt Strike (10-092), (1) 1/4" Radius Round Corner Full Lip Strike (10-027)



Ingersoll Rand Residential Solutions, a business comprised of well-known brands like Schlage and Trane, delivers safety, comfort and efficiency to homeowners throughout North America. Our quality products, services and solutions include mechanical and electronic locks, heating and air conditioning systems, indoor air quality solutions, advanced controls, portable security systems and remote home management.

800-847-1864

www.schlage.com www.ingersollrand.com

©2010 Ingersoll-Rand Company MR-1975